# INDEX TO VOLUME XXXI

Abdominal muscles, congenital absence of, with associated abnormalities of genito-urinary tract,

- symptoms, acute, mesenteric lymphangioma as cause of, 502

Aberdeen growth study. I. Prediction of adult body measurements from measurements taken each year from birth to 5 years, 372 Addison's disease in infancy, 265

Aglossia congenita, 400

Anaemia, aplastic, and coarctation of aorta, co-existent, 131

—, infantile pure red-cell, cortisone therapy in, 177

ANDERSON, C., and FREEMAN, M.: Chemical study of mucin in fibrocystic disease of pancreas, 31

ANDERSON, J. P.: Coexistent aplastic anaemia and

coarctation of aorta, 131
Angus, J., see Meyer, T. C., and Angus, J. Anti-Duffy (Fya), haemolytic disease of newborn due

to. 298 Anuria ascribed to acute tubular necrosis in infancy

and early childhood, 512
Aorta, coarctation of, and aplastic anaemia, coexistent, 131

Aphasia, developmental, observed in department of child psychiatry, 161

ARDRAN, G. M., and KEMP, F. H.: Cineradiographic findings in aglossia congenita, 400

ARNEIL, G. C.: Vasopressic factors in stored plasma,

Arthritis, rheumatic, acute necrotising, in child, 315 Asthma complicated by subcutaneous emphysema, 133

AYUKAWA, H., see BAKER, J. B., et al.

BABER, M. D.: Case of congenital cirrhosis of liver with renal tubular defects akin to those in Fanconi syndrome, 335

BAKER, J. B., et al.: Haemolytic disease of newborn

due to anti-Duffy, 298

BATE, J. G., and JAMES, U.: Proteolytic activity of pancreas, 506

BEARN, A. R.: Hydronephrosis in infancy, 110

BENNETT, E., see HOLZEL, A., BENNETT, E., and VAUGHAN, B. F.

Bilirubin, serum levels in relation to kernikterus and prematurity, 75

Biopsy, lingular, assessment, 242 BIRCH, L. B., see ILLINGWORTH, R. S., and BIRCH,

BLACK, J. A., see KIRMAN, B. H., et al. BLAINEY, J. D., and GULLIFORD, R.: Phenylalaninerestricted diets in treatment of phenylketonuria, 444 Blood pressure in newborn estimated by flush method,

BLYSTAD, W.: Hyaline membrane syndrome in premature infants, 33

BLYTH, H., see PUGH, R. J., and BLYTH, H.

BOBATH, K., and BOBATH, B.: Diagnosis of cerebral palsy in infancy, 408

Body measurements, adult, prediction from those taken each year from birth to 5 years, 372 BOOK REVIEWS: ABRAMS, H. L., and KAPLAN, H. S.:

Angiocardiographic interpretation in congenital heart disease, 1956, 533; Benedek, T.: Rheumatoid arthritis and psoriasis vulgaris, 1955, 426; BICKEL, H., and SOUCHON, F.: Die Papierchromatographie

in der Kinderheilkunde, 1955, 426; BOURNE, G. H. ed.: Biochemistry and physiology of bone, 1956, 529; BROCK, J., ed.: Biologische Daten für den Kinderarzt, 1954, 426; CAMERON, H. C.: British Paediatric Association—1928-1952, 1955, 527; CARTEL, W.: Lehrbuch der Tuberkulose des Kindes und des Jugendlichen, 1954, 334; CATEL, W.: Die Pflege des gesunden und des krankes Kindes, 1956, 530: Committee on Maladiusted Children, Report Pflege des gesunden und des krankes Kindes, 1920, 530; Committee on Maladjusted Children, Report, 1955, 533; COMROE, J. H., et al.: The lung, 1955, 67; CRAIG, W. S., et al.: Nursing care of the newly born infant, 1955, 244; DREISBACH, R. H.: Handbook of poisons, 1955, 535; DUNHAM, E. C.: Premature infants, 1956, 333; ELLIS, R. W. B., ed.: Child health and development, 2nd edit, 1956, 244; Child health and development, 2nd edit, book of poisons, 1955, 335; DUNHAM, E. C.: Premature infants, 1956, 333; ELLIS, R. W. B., ed.: Child health and development, 2nd edit., 1956, 244; ELLIS, R. W. B.: Disease in infancy and childhood, 1956, 531; FABER, H. K.: Pathogenesis of poliomyelitis, 1955, 530; FARROW, R.: Surgery of childhood for nurses, 533; GAISFORD, W., and LIGHTWOOD, R. C., eds.: Paediatrics—Supplement, 1956, 334; German medical Journal, Vol. 1, 1956, 244; GESELL, A., ILG, F. L., and AMES, L. B.: Youth: the years from ten to sixteen, 1956, 534; GIBBENS, J.: Care of young babies, 1955, 527; HAAS, J. H. DE: Child mortality in the Netherlands, 1956, 535; HALLGREN, B., and HOLLSTROM, E.: Congenital syphilis, 1954, 334; ILG, F. L., and AMES, L. B.: Child behaviour, 1955, 534; JOLLY, H.: Sexual precocity, 1955, 535; LASSEN, H. C. A., ed.: Management of life-threatening poliomyelitis, Copenhagen 1952-56, 1956, 531; LASSRICH, M. A., et al.: Pädiatrischer Röntgenatlas, 1955, 67; Levesque, J.: Traitement des diarrhées du nourrisson, 1955, 532; MARRATIA, J. C.: Behaviour problems of children, 1956, 534; MEYER, L. F., and NASSAU, E.: Physiology and pathology of infant nutrition, 1955, 528; MONCRIEFF, A.: The changing child, 1956, 527; NAISH, F. C.: Breast feeding, 1956, 527; OEHME, J.: Luse connata, 1956, 531; PATERSON, D., and NEWNS, G.: Modern methods of feeding in infancy and childhood, 1956, 334; PHAIRE, T.: The boke of chyldren, 1955, 33; POLONOVSKI, C., and COLIN, J.: Les explorations biologiques en pédiatrie, 1955, 68; QUAADE, F.: Obese children, 1955, 68; RUDDER, B. DE: Kinderärztliche Notfallfibel, 1956, 531; RUSSELL, W. R.: Poliomyelitis, 1956, 531; SEIFERT, G.: Die Pathologie des kindlichen Pankreas, 1956, 529; SPEKTER, L.: The pediatric years, 67; SWOBODA, W.: Das Skelett des Kindes, 1956, 532; Year Book of Pediatrics, 1955-56, 333.
BOYES, J., JONES, J. D. T., and MILLER, F. J. W.:

of Pediatrics, 1955-56, 333.

BOYES, J., JONES, J. D. T., and MILLER, F. J. W.:
Recognition of primary tuberculous infection of mouth, 81
Braham, J., see Herzberger, E., Rotem, Y., and Braham, J.

longitudinal sinus, obliteration of, hydrocephalus associated with, 288

—, subdural effusion in infancy, 44

BRIMBLECOMBE, F. S. W., see LIGHTWOOD, R. C.,
BRIMBLECOMBE, F. S. W., and DAVIS, J. A.

British Paediatric Association, Proceedings of 29th
Annual General Meeting, 240

Windermere Lecture, 1956, 427

Bronchography in children new technique, 35 Brooks, J. B., and Lewis, J. W.: New technique for bronchography in children, 35

# INDEX TO VOLUME XXXI

Abdominal muscles, congenital absence of, with associated abnormalities of genito-urinary tract,

- symptoms, acute, mesenteric lymphangioma as cause of, 502

Aberdeen growth study. I. Prediction of adult body measurements from measurements taken each year from birth to 5 years, 372 Addison's disease in infancy, 265

Aglossia congenita, 400

Anaemia, aplastic, and coarctation of aorta, co-existent, 131

—, infantile pure red-cell, cortisone therapy in, 177

ANDERSON, C., and FREEMAN, M.: Chemical study of mucin in fibrocystic disease of pancreas, 31

ANDERSON, J. P.: Coexistent aplastic anaemia and

coarctation of aorta, 131
Angus, J., see Meyer, T. C., and Angus, J. Anti-Duffy (Fya), haemolytic disease of newborn due

to. 298 Anuria ascribed to acute tubular necrosis in infancy

and early childhood, 512
Aorta, coarctation of, and aplastic anaemia, coexistent, 131

Aphasia, developmental, observed in department of child psychiatry, 161

ARDRAN, G. M., and KEMP, F. H.: Cineradiographic findings in aglossia congenita, 400

ARNEIL, G. C.: Vasopressic factors in stored plasma,

Arthritis, rheumatic, acute necrotising, in child, 315 Asthma complicated by subcutaneous emphysema, 133

AYUKAWA, H., see BAKER, J. B., et al.

BABER, M. D.: Case of congenital cirrhosis of liver with renal tubular defects akin to those in Fanconi syndrome, 335

BAKER, J. B., et al.: Haemolytic disease of newborn

due to anti-Duffy, 298

BATE, J. G., and JAMES, U.: Proteolytic activity of pancreas, 506

BEARN, A. R.: Hydronephrosis in infancy, 110

BENNETT, E., see HOLZEL, A., BENNETT, E., and VAUGHAN, B. F.

Bilirubin, serum levels in relation to kernikterus and prematurity, 75

Biopsy, lingular, assessment, 242 BIRCH, L. B., see ILLINGWORTH, R. S., and BIRCH,

BLACK, J. A., see KIRMAN, B. H., et al. BLAINEY, J. D., and GULLIFORD, R.: Phenylalaninerestricted diets in treatment of phenylketonuria, 444 Blood pressure in newborn estimated by flush method,

BLYSTAD, W.: Hyaline membrane syndrome in premature infants, 33

BLYTH, H., see PUGH, R. J., and BLYTH, H.

BOBATH, K., and BOBATH, B.: Diagnosis of cerebral palsy in infancy, 408

Body measurements, adult, prediction from those taken each year from birth to 5 years, 372 BOOK REVIEWS: ABRAMS, H. L., and KAPLAN, H. S.:

Angiocardiographic interpretation in congenital heart disease, 1956, 533; Benedek, T.: Rheumatoid arthritis and psoriasis vulgaris, 1955, 426; BICKEL, H., and SOUCHON, F.: Die Papierchromatographie

in der Kinderheilkunde, 1955, 426; BOURNE, G. H. ed.: Biochemistry and physiology of bone, 1956, 529; BROCK, J., ed.: Biologische Daten für den Kinderarzt, 1954, 426; CAMERON, H. C.: British Paediatric Association—1928-1952, 1955, 527; CARTEL, W.: Lehrbuch der Tuberkulose des Kindes und des Jugendlichen, 1954, 334; CATEL, W.: Die Pflege des gesunden und des krankes Kindes, 1956, 530: Committee on Maladiusted Children, Report Pflege des gesunden und des krankes Kindes, 1920, 530; Committee on Maladjusted Children, Report, 1955, 533; COMROE, J. H., et al.: The lung, 1955, 67; CRAIG, W. S., et al.: Nursing care of the newly born infant, 1955, 244; DREISBACH, R. H.: Handbook of poisons, 1955, 535; DUNHAM, E. C.: Premature infants, 1956, 333; ELLIS, R. W. B., ed.: Child health and development, 2nd edit, 1956, 244; Child health and development, 2nd edit, book of poisons, 1955, 335; DUNHAM, E. C.: Premature infants, 1956, 333; ELLIS, R. W. B., ed.: Child health and development, 2nd edit., 1956, 244; ELLIS, R. W. B.: Disease in infancy and childhood, 1956, 531; FABER, H. K.: Pathogenesis of poliomyelitis, 1955, 530; FARROW, R.: Surgery of childhood for nurses, 533; GAISFORD, W., and LIGHTWOOD, R. C., eds.: Paediatrics—Supplement, 1956, 334; German medical Journal, Vol. 1, 1956, 244; GESELL, A., ILG, F. L., and AMES, L. B.: Youth: the years from ten to sixteen, 1956, 534; GIBBENS, J.: Care of young babies, 1955, 527; HAAS, J. H. DE: Child mortality in the Netherlands, 1956, 535; HALLGREN, B., and HOLLSTROM, E.: Congenital syphilis, 1954, 334; ILG, F. L., and AMES, L. B.: Child behaviour, 1955, 534; JOLLY, H.: Sexual precocity, 1955, 535; LASSEN, H. C. A., ed.: Management of life-threatening poliomyelitis, Copenhagen 1952-56, 1956, 531; LASSRICH, M. A., et al.: Pädiatrischer Röntgenatlas, 1955, 67; Levesque, J.: Traitement des diarrhées du nourrisson, 1955, 532; MARRATIA, J. C.: Behaviour problems of children, 1956, 534; MEYER, L. F., and NASSAU, E.: Physiology and pathology of infant nutrition, 1955, 528; MONCRIEFF, A.: The changing child, 1956, 527; NAISH, F. C.: Breast feeding, 1956, 527; OEHME, J.: Luse connata, 1956, 531; PATERSON, D., and NEWNS, G.: Modern methods of feeding in infancy and childhood, 1956, 334; PHAIRE, T.: The boke of chyldren, 1955, 33; POLONOVSKI, C., and COLIN, J.: Les explorations biologiques en pédiatrie, 1955, 68; QUAADE, F.: Obese children, 1955, 68; RUDDER, B. DE: Kinderärztliche Notfallfibel, 1956, 531; RUSSELL, W. R.: Poliomyelitis, 1956, 531; SEIFERT, G.: Die Pathologie des kindlichen Pankreas, 1956, 529; SPEKTER, L.: The pediatric years, 67; SWOBODA, W.: Das Skelett des Kindes, 1956, 532; Year Book of Pediatrics, 1955-56, 333.
BOYES, J., JONES, J. D. T., and MILLER, F. J. W.:

of Pediatrics, 1955-56, 333.

BOYES, J., JONES, J. D. T., and MILLER, F. J. W.:
Recognition of primary tuberculous infection of mouth, 81
Braham, J., see Herzberger, E., Rotem, Y., and Braham, J.

longitudinal sinus, obliteration of, hydrocephalus associated with, 288

—, subdural effusion in infancy, 44

BRIMBLECOMBE, F. S. W., see LIGHTWOOD, R. C.,
BRIMBLECOMBE, F. S. W., and DAVIS, J. A.

British Paediatric Association, Proceedings of 29th
Annual General Meeting, 240

Windermere Lecture, 1956, 427

Bronchography in children new technique, 35 Brooks, J. B., and Lewis, J. W.: New technique for bronchography in children, 35

Calcium disodium E.D.T.A., treatment of lead poisoning in childhood by subcutaneous administration of, 321

CALVERT, R. J., and ROBSON, T.: Cortisone therapy in erythrogenesis imperfecta, 177

CAMPBELL, J. A. H.: Morbid anatomy of infantile malnutrition in Cape Town, 310

CAPLIN, H., see WOOLF, A. L., and CAPLIN, H.

CARAVIAS, D. E.: Significance of so-called 'irritable hips' in children, 415

CARRÉ, I. J., and SQUIRE, J. R.: Anuria ascribed to acute tubular necrosis in infancy and early child-

acute tubular necrosis in infancy and early childhood, 512 Cashman, M.: Massive pulmonary embolism in boy aged 9, 474

Cerebral palsy, diagnosis of, in infancy, 408
————, epilepsy and, 1
Chiari syndrome in childhood, 225

Chickenpox, thrombocytopenic purpura and, 38

Choroid, tubercles of, 467

CHOWN, B., see BAKER, J. B., et al. CLAIREAUX, A. E.: Fibrocystic disease of pancreas in newborn, 22

CLARK, N. S.: Nephritis in childhood, 12

: Prognosis of nephritis in childhood, 156

Social factors in aetiology of nephritis in childhood, 153

—, NAIRN, R. C., and GOWAR, F. J. S.: Cystic disease of lung in newborn treated by pneumonectomy, 358

Cleft palate, intelligence of children with, 300 COHEN, H., see GREIG, H. B. W., et al. Cook, J.: Hydrops foetalis successfully treated by exchange transfusion, 92

Cor triatriatum, 222 Cortisone therapy in erythrogenesis imperfecta, 177

Cortisone therapy in erythrogenesis imperiecta, 177—— of sclerema neonatorum, 419
CRAWFORD, M., MACRAE, A. D., and O'REILLY, J. N.: Unusual illness in young children associated with an enteric virus, 182
CREERY, R. D. G., see WADE, W. G., YOUNG, R. J., and CREERY, R. D. G.
Cretinism, sporadic, with goitre, hereditary transmission of 324.

mission of, 242

CUNNINGHAM, A. A.: Exomphalos, 144 : Resorcin poisoning, 173

Davel, J. G. A., Fichardt, T., and Spuy, D. van der: Osteogenesis imperfecta, 346 Davis, J. A., see Lightwood, R. C., Brimblecombe, F. S. W., and Davis, J. A.

DERHAM, R. J., and ROGERSON, M. M.: Schönlein-Henoch syndrome with particular reference to renal sequelae, 364

Diabetes insipidus, pitressin-resistant, familial, with mental defect, 59

Diabetic children, free diets in treatment of, 245 mother, newborn infants of, significance of hypoglycaemia in, 203

pattern of electrolyte excretion in urine of

babies born to, 42 pregnancy, combined management of, 242

— pregnancy, combined management of, 242
— woman, possible influence of hyperadrenocorticism on foetus of, 483

Doyle, G. B.: Bilateral Wilms' nephroblastoma, 51

Drillien, C. M., and Richmond, F.: Prematurity in

Edinburgh, 390

Ductus arteriosus, patent, 279
DURAN-JORDA, F., HOLZEL, A., and PATTERSON,
W. H.: Histochemical study of pulmonary hyaline

membrane, 113

Edinburgh, prematurity in, 390
Electrolyte excretion in urine of babies born to diabetic mothers, pattern of, 42

Electrophoresis, serum protein, in rheumatic fever, Still's disease, and acute nephritis, 243

Ellis classification of nephritis in childhood, clinical assessment of, 12

Embolism, pulmonary, massive, in boy aged 9, 474
 EMERY, J. L., and ZACHARY, R. B.: Hydrocephalus associated with obliteration of longitudinal sinus,

Emphysema, congenital lobar, 216

—, subcutaneous, complicating asthma, 133
Encephalitis and thrombocytopenic purpura after rubella, 470

—, whooping cough, 87 Enteric virus, unusual illness in young children associated with, 182

associated with, 182
Enuresis, day and night output of urine in, 439
Epilepsy and cerebral palsy, 1
Erythrogenesis imperfecta, cortisone therapy in, 177
Escherichia coli gastro-enteritis, 340
Evans, P. R., see Kirman, B. H., et al.
Exomphalos, 144

Factor VII deficiency, congenital, review with report of case in Indian infant, 293
FALCKE, H. C., see GREIG, H. B. W., et al.
Fanconi syndrome, congenital cirrhosis of liver with

Fanconi syndrome, congenital cirrnosis of liver with renal tubular defects akin to those in, 335

FARQUHAR, J. W.: Combined management of diabetic pregnancy, 242

—: Possible influence of hyperadrenocorticism on foetus of diabetic woman, 483

—: Significance of hypoglycaemia in newborn infant of diabetic woman, 203

FAWCITT, J.: Radiological findings in lungs of premature infants, 119

Fibrocystic disease of pancreas in adolescent with minimal pulmonary involvement, 270

——————, salivary electrolytes in, 477

FICHARDT, T., see DAVEL, J. G. A., FICHARDT, T., and SPUY, D. VAN DER

FISON, T. N.: Acute glomerulonephritis in infancy,

Foetus, harlequin, 53 FORFAR, J. O., and KIBEL, M. A.: Blood pressure in newborn estimated by flush method, 126

FORSYTH, C. C.: Serum protein electrophoresis, 243—, and PAYNE, W. W.: Free diets in treatment of

diabetic children, 245
FREEMAN, M., see ANDERSON, C., and FREEMAN, M.
Friedländer's bacillus infections in infancy, 96 FRIEDLANDER, F. C., see KESSEL, I., and FRIEDLANDER,

Fulford, G. E.: Aglossia congenita, 400

Galactosaemia, clinical and biochemical study of, 254
GALLOWAY, W. H., SUTHERLAND, A. M., and
WILLIAMS, A. W.: Duplication of stomach, 422
Gastric musculature, congenital defects in, rupture of
stomach in newborn due to, 56
Gastro-enteritis, Escherichia coli, 340
Gastro-enteritis, escherichia coli, 340

-, infantile, effect of oral lactose on faecal flora and pH in, 523

Genito-urinary tract, abnormalities of, associated with congenital absence of abdominal muscles, 236 GIBSON, W. M.: Lingular biopsy assessment, 242 GILES, H. McC.: Nephrotic syndrome in newborn, 243—, see also Porter, K. A., and GILES, H. McC. Glomerulonephritis, acute, in infancy, 101 Goitre, sporadic cretinism with, hereditary transmissions of 242

mission of, 242

GOLBERG, L., see KOMROWER, G. M., et al. Gonadal dysgenesis with androgenic manifestations, 354

GORDON, D. S., and TAYLOR, A. R.: Obstructive hydrocephalus in childhood, 191

GOWAR, F. J. S., see CLARK, N. S., NAIRN, R. C., and GOWAR, F. J. S.
GRAY, O. P., see THOMSON, S., WATKINS, A. G., and GRAY, O. P.
GREIG, H. B. W., et al.: Congenital factor VII deficiency, 293
GREWAR, D., see BAKER, J. B., et al.
GROWTH of infants, 382

Growth of infants, 382 I. Predication of adult study, Aberdeen. body measurements from those taken each year from birth to 5 years, 372

GULLIFORD, R., see BLAINEY, J. D., and GULLIFORD,

H

Haemolytic disease of newborn due to anti-Duffy

Haemolytic disease of newborn due to anti-Duny (Fy<sup>a</sup>), 298

HAIGH, E.: Acute pancreatitis in childhood, 273

HAWORTH, J. C., and McCredie, D.: Chromatographic separation of reducing sugars in urines of newborn babies, 189

HAY, J. D., and WARD, O. C.: Patent ductus arteriosus, 279

HEALY, M. J. R., see TANNER, J. M., et al.

Heart, cor triatriatum, 222

Heart, cor triatriatum, 222
Henry, J. R. K.: Subcutaneous emphysema complicating asthma, 133
Hepatic vein and inferior vena cava thrombosis, in childhood, 225

HERZBERGER, E., ROTEM, Y., and BRAHAM, J.: Remarks on 33 cases of subdural effusion in infancy, 44

Hip, irritable, so-called, in children, significance of,

HOLT, K. S.: Rebound phenomenon in acute

rheumatic fever, 444

Holt, L. E., jr.: Adolescence of nutrition, 427

Holzel, A., Bennett, E., and Vaughan, B. F.:

Congenital lobar emphysema, 216

—, see also DURAN-JORDA, F., HOLZEL, A., and PATTERSON, W. H.

—, see also KOMROWER, G. M., et al.

Home care of sick children with mobile paediatric team expressing the acceptance of the second secon

team supporting the practitioner, London trial of,

HUDSON, F. P.: Clinical aspects of congenital tuberculosis, 136

HUGHES, J. R., JENKINS, R. T., and STURDY, D. E.: Single polyp of large intestine in childhood, 125
HUTCHISON, J. H.: Hereditary transmission of sporadic cretinism with goitre, 242
Hyaline membrane, pulmonary, histochemical study

of, 113

syndrome in premature infants, 33

Hydranencephaly, 195 Hydrocephalus associated with obliteration of longitudinal sinus, 288

, obstructive, in childhood, 191

Hydronephrosis in infancy, 110 Hydrops foetalis successfully treated by exchange transfusion, 92

Hyperadrenocorticism, possible influence on foetus of diabetic woman, 483
Hypervitaminosis A, 229

Hypoglycaemia in newborn infant of diabetic mother, significance of, 203

ILLINGWORTH, R. S.: Attacks of unconsciousness in

association with fused cervical vertebrae, 8
—, and BIRCH, L. B.: Intelligence of children with cleft palate, 300

\_\_\_\_, and LORBER, J.: Tubercles of the choroid, 467 Infants, growth, 382 newborn, blood pressure in, estimated by flush

method, 126 , cystic disease of lung in, treated by pneumonectomy, 358

—, effect of large doses of Synkavit in, 212

fibrocystic disease of pancreas in, 22

Infants, newborn, haemolytic disease of, due to anti-Duffy (Fy<sup>a</sup>), 298

-, nephrotic syndrome in, 243
-, of diabetic mother, significance of hypoglycaemia in, 203

, pyelonephritis in, pathological study of

——, reducing sugars in urine of, chromatographic separation of, 189
——, rupture of stomach in, due to congenital defects in gastric musculature, 56
——, sclerema in: recovery with cortisone, 419
—, premature, hyaline membrane syndrome in, 33 lungs of, radiological findings in, 119

Infancy, subdural effusion in, 44 Ingram, T. T. S., and Reid, J. F.: Developmental aphasia observed in a department of child psychiatry, 161

Intestine, large, single polyp of, in childhood, 124 Isoniazid, intrathecal, in tuberculous meningitis, 328 JAMES, U., see BATE, J. G., and JAMES, U.

Jenkins, R. T., see Hughes, J. R., Jenkins, R. T., and Sturdy, D. E.
Johnston, W. H.: Salivary electrolytes in fibrocystic disease of pancreas, 477
Jones, J. D. T., see Boyes, J., Jones, J. D. T., and Miller, F. J. W.

JORDA, F. D., see DURAN-JORDA, F.

KEMP, F. H., see ARDRAN, G. M., and KEMP, F. H. Kernikterus and prematurity, serum bilirubin levels

in relation to, 75 Kernohan, R. J., and Morison, J. E.: Symptomatic

pancreatic heterotopia of pylorus associated with bilateral renal cortical necrosis in infant, 276 Kessel, I., and Friedlander, F. C.: Harlequin foetus, 53

KIBEL, M. A., and MARSDEN, H. B.: Inferior vena caval and hepatic vein thrombosis, 225 , see also FORFAR, J. O., and KIBEL, M. A

Kidneys, acute tubular necrosis of, anuria ascribed to, in infancy and early childhood, 512

—, tubular defects with congenital cirrhosis of

liver, 335
KING, R. C.: Fibrocystic disease of pancreas in adolescent with minimal pulmonary involvement, 270

KIRMAN, B. H.: Epilepsy and cerebral palsy, 1
—, et al.: Familial pitressin-resistant diabetes insipidus with mental defect, 59

Klebsiella pneumoniae infections in infancy, 96 Klippel-Feil syndrome, attacks of unconsciousness in association with, 8 Komrower, G. M., et al.: Clinical and biochemical

study of galactosaemia, 254

Lactose, oral, effect on faecal flora and pH in infantile gastro-enteritis, 523

Laryngeal stenosis with tracheostomy treated by hemi-laryngectomy and reconstruction of laryngeal orifice, 94

Larynx, atresia of, 324 Lead poisoning in childhood treated by subcutaneous administration of a chelating agent, 321
LEVENE, M., WALKER, P. A., and WHITE, T. A.:
Mesenteric lymphangioma as cause of acute

abdominal symptoms, 502 abdominal symptoms, 502

Lewis, I. C., and Philpott, M. G.: Neurological complications in Schönlein-Henoch syndrome, 369

Lewis, J. W., see Brooks, J. B., and Lewis, J. W. Lewis, M., see Baker, J. B., et al.

Lightwood, R. C., Brimblecombe, F. S. W., and Davis, J. A.: London trial of home care of sick children with mobile psediatric team. 241

children with mobile paediatric team, 241

- Liver, cirrhosis, congenital, with renal tubular defects akin to those in Fanconi syndrome, 335
- akin to those in Fanconi syndrome, 335
  LOCKHART, R. D., see TANNER, J. M., et al.
  LORBER, J., see ILLINGWORTH, R. S., and LORBER, J.
  Lungs, cystic disease of, in newborn treated by pneumonectomy, 358
  —, emphysema, congenital lobar, 216
  —, hyaline membrane of, histochemical study of,
- of premature infants, radiological findings in, 119
- Lymphangioma, mesenteric, as cause of acute abdominal symptoms, 502

## M

- McCredie, D., see Haworth, J. C., and McCredie, D.
- MacFarlane, A., see MacGillivray, P. C., Stewart, A. M., and MacFarlane, A. MacGillivray, P. C., Stewart, A. M., and MacFarlane, A.: Rupture of stomach in newborn due to congenital defects in gastric muscu-
- MACKENZIE, J. D., see TANNER, J. M., et al. MACKINNON, D., see NASH, F. W., and MACKINNON,
- D. McLean, M. M.: Incidence of infantile pyloric
- MCLEAN, M. M.: Incidence of infantile pyloric stenosis in North-East of Scotland, 481

  MACRAE, A. D., see CRAWFORD, M., MACRAE, A. D., and O'REILLY, J. N.

  Malnutrition, infantile, in Cape Town, morbid anatomy of, 310
- MARSDEN, H. B., see KIBEL, M. A., and MARSDEN,
- MENDELSON, I. R., see RANKIN, N. E., and MENDELSON, I. R.
- Meningitis, tuberculous, intrathecal isoniazid in, 328 Meyer, T. C.: Study of serum bilirubin levels in relation to kernikterus and prematurity, 75
- —, and Angus, J.: Effect of large doses of 'synkavit' in newborn, 212 MILLER, F. J. W., see BOYES, J., JONES, J. D. T., and MILLER, F. J. W.
- MORISON, J. E., see KERNOHAN, R. J., and MORISON,
- Mouth, primary tuberculous infection of, recognition of, 81
- Mucin in fibrocystic disease of pancreas, chemical study of, 31
- Muscular dystrophy, childhood, clinical and genetic appraisal, 243

- NAIRN, R. C., see CLARK, N. S., NAIRN, R. C., and GOWAR, F. J. S.
- NASH, F. W., and MACKINNON, D.: Cor triatriatum,
- Nephritis, acute, serum protein electrophoresis in,
- in childhood, Ellis classification of, clinical assessment of, 12
- , prognosis of, 156 Nephroblastoma, Wilms', bilateral, 51
- Nephrotic syndrome in newborn, 243 Newborn infants, blood pressure in, estimated by
- flush method, 126 , cystic disease of lung in, treated by
- haemolytic disease, of, due to anti-Duffy
- (Fya), 298 nephrotic syndrome in, 243 of diabetic mother, significance of hypo-
- \_\_\_\_, pyelonephritis in, pathological study of 5 cases, 303 glycaemia in, 203

- Newborn infants, reducing sugars in urine of, chromatographic separation of, 189
- rupture of stomach in, due to congenital defects in gastric musculature, 56
- , sclerema in; recovery with cortisone, 419 Nutrition, adolescence of, 427

- O'DONOHOE, N. V.: Lead poisoning in childhood treated by subcutaneous administration of a
- chelating agent, 321
  O'REILLY, J. N., see CRAWFORD, M., MACRAE, A. D., and O'REILLY, J. N. Osteogenesis imperfecta, 346

- Paediatric Societies in British Isles, 152 Palsy, cerebral, diagnosis of, in infancy, 408
- , epilepsy and, 1 Pancreas, fibrocystic disease of, chemical study of mucin in, 31
- in adolescent with minimal pul-
- monary involvement, 270 —, in newborn, 22 -, presenting with acute salt depletion, 28 -, salivary electrolytes in, 477
- , proteolytic activity of, 506
- Pancreatic heterotopia, symptomatic, of pylorus associated with bilateral renal cortical necrosis in infant, 276
- PAYNE, W. W., see FORSYTH, C. C., and PAYNE, W. W. Phaeochromocytoma in childhood, clinical and pathological details of 2 cases of, 69
- Phenylalanine-restricted diets in treatment of phenylketonuria, 452
- Phenylketonuria, phenylalanine-restricted diets in treatment of, 452
  PHILPOTT, M. G., see LEWIS, I. C., and PHILPOTT,
- M. G.
- Pickup, J. D.: Hypervitaminosis A, 229 Pitressin-resistant diabetes insipidus, familial, with
- mental defect, 59 Plasma, stored, vasopressic factors in, 242
- Pneumonectomy in treatment of cystic disease of lung in newborn, 358

- Prematurely born children, anthropometric study of, at age of 5 years, 395
- Prematurity and kernikterus, serum bilirubin levels in
- relation to, 75
   in Edinburgh, 390
  PUGH, R. J., and BLYTH, H.: Childhood muscular dystrophy, 243
- Pulmonary embolism, massive, in boy aged 9, 474 vein, common, congenital stenosis of, 222 Purpura, thrombocytopenic, and chickenpox, 38
- ——, and encephalitis after rubella, 470 PUTNOKY, G., see Steiner, B., and PUTNOKY, G.
- Pyelonephritis in newborn, pathological study of 5
- cases, 303
  Pyloric stenosis, infantile, incidence of, in North-East of Scotland, 481
- Pylorus, symptomatic pancreatic heterotopia of, associated with bilateral renal cortical necrosis in infant, 276

- RANKIN, N. E., and MENDELSON, I. R.: Case of atresia of larynx, 324
- REID, J. F., see INGRAM, T. T. S., and REID, J. F.

Renal cortical necrosis, bilateral, symptomatic pancreatic heterotopia of pylorus associated with, 276

RENDLE-SHORT, J.: Fibrocystic disease of pancreas presenting with acute salt depletion, 28

Resorcin poisoning, 173 Rheumatic arthritis, acute necrotising, in child, 315 fever, acute, rebound phenomenon in, 444

, serum protein electrophoresis in, 243 RICHMOND, F., see DRILLIEN, C. M., and RICHMOND,

Rickets, renal, studies in case of, 140
ROBERTS, P.: Congenital absence of abdominal muscles with associated abnormalities of genito-

urinary tract, 236

Robinson, M. J., and Williams, A.: Clinical and pathological details of 2 cases of phaeochromocytoma in childhood, 69

—, see also Williams, A., and Robinson, M. J. Robson, T., see Calvert, R. J., and Robson, R. J. Rogerson, M. M., see Derham, R. J., and Rogerson,

Rokitansky-Cushing ulcer, perforated, successful treatment of, 233

ROTEM, Y., see HERZBERGER, E., ROTEM, Y., and BRAHAM, J. Rubella, encephalitis and thrombocytopenic purpura

after, 470

SALE, T. A.: Successful treatment of perforated Rokitansky-Cushing ulcer, 233 Salt depletion, acute, in fibrocystic disease of

pancreas, 28 ANDISON, A.

Schönlein-Henoch syndrome, neurological complications in, 369

with particular reference to renal sequelae, 364

SCHWARZ, V., see KOMROWER, G. M., et al. Sclerema neonatorum: recovery with cortisone, 419 Scorer, C. G.: Incidence of incomplete descent of testicle at birth, 198
Serum protein electrophoresis in rheumatic fever, Still's disease and acute nephritis, 243

SHARP, H. S.: Laryngeal stenosis with tracheostomy treated by hemilaryngectomy and reconstruction of laryngeal orifice, 94

reacted by hemilary nectomy and reconstruction of laryngeal orifice, 94

SHORT, J. R., see RENDLE-SHORT, J.

SIMON, M., see GREIG, H. B. W., et al.

SINCLAIR, K.: Studies in case of renal rickets, 140

SPEIRS, A. L.: Anthropometric study of prematurely born children at age of 5 years, 395

Spine, fused cervical vertebrae, attacks of unconsciousness in association with, 8

SPUY, D. VAN DER, see DAVEL, J. G. A., FICHARDT, T., and SPUY, D. VAN DER

SQUIRE, J. R., see CARRÉ, I. J., and SQUIRE, J. R.

STAPLETON, T.: Pattern of electrolyte excretion in urine of babies born to diabetic mothers, 42

STEEN, E., and TORP, K. H.: Encephalitis and thrombocytopenic purpura after rubella, 470

STEINER, B., and PUTNOKY, G.: Klebsiella pneumoniae infections in infancy, 96

STEWART, A. M., see MacGILLIVRAY, P. C., STEWART, A. M., and MACFARLANE, A.

Still's disease, serum protein electrophoresis in, 243

Still's disease, serum protein electrophoresis in, 243 Stomach, duplication of, 422 , rupture of, in newborn due to congenital defects

in gastric musculature, 56

STURDY, D. E., see HUGHES, J. R., JENKINS, R. T., and STURDY, D. E.
Sugars, reducing, in urines of newborn babies, chromatographic separation of, 189

SUTHERLAND, A. M., see GALLOWAY, W. H., SUTHERLAND, A. M., and WILLIAMS, A. W.
SWIFT, P. N.: Intrathecal isoniazid in tuberculous meningitis, 328

Synkavit, effect of large doses of, in newborn, 212

TANNER, J. M., et al.: Aberdeen growth study. I. Prediction of adult body measurements from measurements taken each year from birth to 5 years, 372

TAYLOR, A. R., see GORDON, D. S., and TAYLOR. A. R.

Testicle, incomplete descent of, at birth, incidence of 198

THOMSON, J.: Infant growth, 382
THOMSON, S., WATKINS, A. G., and GRAY, O. P.:
Escherichia coli gastro-enteritis, 340
Thrombocytopenic purpura and encephalitis after

rubella, 470 Thrombosis, inferior vena caval and hepatic vein, in

childhood, 225
TORP, K. H., see STEEN, E., and TORP, K. H.

Tubercles of the choroid, 467
Tuberculosis, congenital, clinical aspects of, 136
Tuberculous infection of mouth, primary, recognition

of, 81 meningitis, intrathecal isoniazid in, 328

Ullrich-Turner syndrome with androgenic manifestations, 354 Unconsciousness, attacks of, in association with fused cervical vertebrae, 8

Urine, day and night output of, in enuresis, 439

VAUGHAN, B. F., see HOLZEL, A., BENNETT, E., and VAUGHAN, B. F.

Vena cava, inferior, and hepatic vein thrombosis in childhood, 225 Vertebrae, cervical, fused, attacks of unconsciousness

in association with, 8

Vitamin K. effect of large doses of, in newborn, 212 VULLIAMY, D.: Day and night output of urine in enuresis, 439

WADE, W. G., YOUNG, R. J., and CREERY, R. D. G.: Case of gonadal dysgenesis or Ullrich-Turner syndrome with androgenic manifestations, 354

WALKER, P. A., see LEVENE, M., WALKER, P. A., and WHITE, T. A.
WARD, O. C., see HAY, J. D., and WARD, O. C.
WATKINS, A. G., see THOMSON, S., WATKINS, A. G., and GRAY, O. P.
WATSON, K. C.: Hydranencephaly, 195
WELCH, R. G.: Thrombocytopenic purpura and abidebaray 3.8

chickenpox, 38

WHITE, T. A., see LEVENE, M., WALKER, P. A., and WHITE, T. A.

WHIE, 1. A. WHITE, 1. A. WHITEHOUSE, R. H., see TANNER, J. M., et al. Whooping cough encephalitis, 87
WICKES, I. G.: Sclerema neonatorum: recovery with

WILKINSON, R. H., see KIRMAN, B. H., et al.
WILLIAMS, A., and ROBINSON, M. J.: Addison's disease in infancy, 265

—, see also Robinson, M. J., and Williams, A. Williams, A. W., see Galloway, W. H., Sutherland, A. M., and Williams, A. W.

Wilms' nephroblastoma, bilateral, 51
Windermere Lecture, 1956, 427
Woolf, A. L., and Caplin, H.: Whooping cough encephalitis, 87

Young, R. J., see Wade, W. G., Young, R. J., and Creery, R. D. G.

ZACHARY, R. B., see EMERY, J. L., and ZACHARY, R. B. ZILBERG, B.: Effect of oral lactose on faecal flora and pH in infantile gastro-enteritis, 523

